Comparison of Racial and Ethnic Distribution by Clinic Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown
	Analysis (3)	%	%	%	%	%	%	%
Akron	43	*	*	*	*	*	*	*
Alamosa	839	26.1	0.4	71.8	0.8	0.1	0.8	0.0
Altn-Colfx	2,694	7.3	16.9	66.4	0.7	6.2	2.4	0.0
Arvada	1,505	54.0	2.9	38.1	0.9	2.0	2.1	0.0
Aurora	2,294	9.2	17.2	66.1	0.7	3.5	3.4	0.0
Avon	433	9.0	1.2	89.6	0.0	0.2	0.0	0.0
Avondale	38	*	*	*	*	*	*	*
Bailey	66	*	*	*	*	*	*	*
Bennett Y	101	73.3	1.0	19.8	2.0	0.0	4.0	0.0
Boulder M	652	22.5	0.6	68.3	0.6	5.5	2.5	0.0
Brighton	752	25.0	1.3	70.5	1.2	1.1	0.9	0.0
Broomfield	314	41.7	0.6	50.3	0.6	3.2	3.5	0.0
Buena Vist	55	*	*	*	*	*	*	*
Burlington	234	46.6	0.4	50.4	1.7	0.0	0.9	0.0
Canon City	670	80.3	0.3	17.6	0.1	0.0	1.5	0.1
Center	191	12.6	0.0	87.4	0.0	0.0	0.0	0.0
Comm City	1,528	14.1	2.2	82.1	0.3	0.9	0.5	0.0
Conifer	22	*	*	*	*	*	*	*
Cortez	632	54.9	0.3	27.7	11.7	1.1	4.1	0.2

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

Run Date: 9 / 13 / 12

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Racial and Ethnic Distribution by Clinic Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution									
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other Dunknown	
Craig	364	56.0	0.5	39.0	1.9	0.0	2.5	0.0	
Cripple Cr	110	90.0	0.9	5.5	0.0	1.8	1.8	0.0	
Crst Butte	13	*	*	*	*	*	*	*	
Cstle Rock	559	59.9	1.1	33.1	0.4	1.6	3.9	0.0	
Delta	360	48.6	0.8	48.6	0.8	0.6	0.6	0.0	
Divide	128	88.3	0.0	10.9	0.0	0.0	0.8	0.0	
Dove Creek	36	*	*	*	*	*	*	*	
Durango	641	44.5	0.0	45.1	5.3	0.3	4.8	0.0	
Eads	12	*	*	*	*	*	*	*	
Eagle	261	8.0	0.0	92.0	0.0	0.0	0.0	0.0	
Eastside	3,279	12.8	24.1	54.7	1.5	3.7	3.2	0.0	
Edgewater	859	17.8	1.9	77.4	0.6	0.6	1.7	0.0	
El Jebel	224	4.5	0.0	95.5	0.0	0.0	0.0	0.0	
El Paso M	3,137	38.9	9.4	43.8	0.5	1.1	6.2	0.0	
El Paso N	2,884	56.2	5.4	31.2	0.5	1.3	5.4	0.0	
Elizabeth	34	*	*	*	*	*	*	*	
Englewood	1,259	41.8	3.4	49.2	0.5	1.6	3.5	0.1	
Estes Park	83	*	*	*	*	*	*	*	
Fairplay	72	*	*	*	*	*	*	*	

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

Run Date: 9 / 13 / 12

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 9 / 13 / 12

Comparison of Racial and Ethnic Distribution by Clinic Children Aged < 5 Years (2)

		Com	parison of Ra	acial and Eth	nic Distributi	on		
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Firestone	534	36.5	0.0	60.5	0.6	0.7	1.7	0.0
Florence	30	*	*	*	*	*	*	*
Fnt Valley	1,884	49.8	8.2	32.4	0.4	1.8	7.4	0.0
Frisco	378	20.4	1.3	77.0	0.0	0.5	0.8	0.0
Ft Collins	1,534	49.2	1.6	45.6	0.4	1.6	1.5	0.1
Ft. Morgan	834	25.7	6.7	66.1	0.1	0.2	1.2	0.0
Gilpin	13	*	*	*	*	*	*	*
Glenwood	674	11.9	0.1	86.2	0.6	0.1	1.0	0.0
Grand Junc	2,222	55.8	0.6	39.4	0.4	0.5	3.4	0.0
Greeley	312	27.6	2.2	68.3	0.3	1.0	0.6	0.0
Gunnison	210	54.3	0.0	44.3	1.0	0.0	0.5	0.0
Holyoke	98	*	*	*	*	*	*	*
HotSulphur	145	57.9	0.0	40.7	0.0	0.0	1.4	0.0
Hugo	78	*	*	*	*	*	*	*
Idaho Sprg	103	87.4	0.0	7.8	1.0	1.0	2.9	0.0
Ignacio	101	15.8	1.0	52.5	25.7	0.0	5.0	0.0
Illiff	3,689	24.0	21.4	44.8	1.1	3.9	4.7	0.0
Julesburg	45	*	*	*	*	*	*	*
La Junta	287	26.5	0.3	70.4	0.0	0.7	2.1	0.0

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Racial and Ethnic Distribution by Clinic Children Aged < 5 Years (2)

		Com	parison of Ra	acial and Eth	nic Distributi	on		
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Lafayette	361	27.7	1.1	63.2	1.1	3.6	3.3	0.0
Lake Plaza	2,144	39.2	9.3	46.5	0.4	1.1	3.5	0.0
Lakewood	2,210	48.6	2.4	42.9	1.1	2.8	2.1	0.0
Lamar	392	27.3	0.0	70.2	1.3	0.0	1.3	0.0
Las Animas	94	*	*	*	*	*	*	*
Leadville	127	18.1	0.0	80.3	0.0	0.8	0.8	0.0
Limon	7	*	*	*	*	*	*	*
Lonetree	460	58.0	3.9	27.4	0.9	2.6	7.2	0.0
Longmont	1,475	26.2	0.7	69.7	0.2	1.0	2.1	0.1
Loveland	911	58.9	0.3	38.1	0.1	0.2	2.3	0.0
Manz/Fow	32	*	*	*	*	*	*	*
Meeker	61	*	*	*	*	*	*	*
Montbello	1,961	4.8	20.2	70.4	1.2	2.0	1.4	0.0
Monte Vist	285	23.9	0.7	73.7	1.1	0.0	0.4	0.4
Montrose	620	38.4	0.2	54.0	1.5	0.8	5.2	0.0
Northglenn	3,798	29.8	1.6	63.0	0.9	2.8	1.8	0.1
Norwood	20	*	*	*	*	*	*	*
Nucla	25	*	*	*	*	*	*	*
Olathe	97	*	*	*	*	*	*	*

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

Run Date: 9 / 13 / 12

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Racial and Ethnic Distribution by Clinic Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution									
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %	
Ordwy/Manz	43	*	*	*	*	*	*	*	
Ouray	46	*	*	*	*	*	*	*	
Pagosa Spr	243	35.0	0.8	59.3	0.8	0.4	3.7	0.0	
Pan/Hot/Ce	31	*	*	*	*	*	*	*	
Pecos	1,876	13.0	0.7	82.4	0.9	2.3	0.8	0.0	
Pitkin	59	*	*	*	*	*	*	*	
Pueblo	3,065	22.1	1.9	73.4	0.3	0.1	2.1	0.1	
PuebloW	332	55.1	0.0	35.2	0.6	0.0	9.0	0.0	
Rangely	62	*	*	*	*	*	*	*	
Rifle	548	29.7	0.5	65.9	0.2	0.4	3.3	0.0	
Rocky Ford	238	17.6	0.0	81.9	0.4	0.0	0.0	0.0	
Salida	151	57.6	0.7	25.8	2.0	0.7	13.2	0.0	
Springfield	92	*	*	*	*	*	*	*	
Steamboat	191	47.6	1.6	45.5	0.5	1.6	3.1	0.0	
Sterling	310	61.0	2.3	35.8	0.0	0.3	0.6	0.0	
Sunrise	2,141	23.5	4.4	68.8	0.4	2.2	0.7	0.0	
Telluride	76	*	*	*	*	*	*	*	
Trinidad	257	26.1	0.4	70.8	0.0	0.4	1.9	0.4	
Walden	24	*	*	*	*	*	*	*	

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

Run Date: 9 / 13 / 12

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Racial and Ethnic Distribution by Clinic Children Aged < 5 Years (2)

Page: Run Date: 9 / 13 / 12

		Com	parison of Ra	acial and Eth	nic Distributi	on		
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Walsenburg	96	*	*	*	*	*	*	*
Westcliffe	22	*	*	*	*	*	*	*
Westside	4,475	8.6	3.8	83.2	1.3	1.9	1.2	0.0
Yuma	259	42.1	0.4	55.2	0.4	0.4	1.5	0.0
Colorado	70,266	31.1	6.3	57.0	0.9	1.8	2.8	0.0
Nation (Prior Year)	8,672,965	32.5	19.1	39.7	0.9	2.5	2.7	2.5



⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by Clinic Children Aged < 5 Years (2)

	Comparison of Age Distribution							
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %				
Akron	43	*	*	*				
Alamosa	839	29.7	20.6	49.7				
Altn-Colfx	2,694	36.2	18.4	45.4				
Arvada	1,505	35.9	20.8	43.3				
Aurora	2,294	35.8	18.0	46.2				
Avon	433	31.4	21.9	46.7				
Avondale	38	*	*	*				
Bailey	66	*	*	*				
Bennett Y	101	34.7	21.8	43.6				
Boulder M	652	33.4	20.2	46.3				
Brighton	752	36.7	19.1	44.1				
Broomfield	314	35.4	22.0	42.7				
Buena Vist	55	*	*	*				
Burlington	234	26.5	18.8	54.7				
Canon City	670	37.0	18.4	44.6				
Center	191	31.4	19.9	48.7				
Comm City	1,528	37.8	17.7	44.6				
Conifer	22	*	*	*				

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date: 9 / 13 / 12

7

⁽²⁾ Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by Clinic Children Aged < 5 Years (2)

	Cor	mparison of Age Dist	tribution		
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %	
Cortez	632	29.0	20.4	50.6	
Craig	364	35.4	20.3	44.2	
Cripple Cr	110	34.5	23.6	41.8	
Crst Butte	13	*	*	*	
Cstle Rock	559	44.9	18.2	36.9	
Delta	360	31.4	22.2	46.4	
Divide	128	34.4	21.9	43.8	
Dove Creek	36	*	*	*	
Durango	641	38.2	21.4	40.4	
Eads	12	*	*	*	
Eagle	261	29.5	24.9	45.6	
Eastside	3,279	36.6	20.7	42.7	
Edgewater	859	32.5	21.0	46.6	
El Jebel	224	25.0	23.2	51.8	
El Paso M	3,137	38.6	19.6	41.8	
El Paso N	2,884	34.7	21.0	44.3	
Elizabeth	34	*	*	*	
Englewood	1,259	41.1	16.4	42.6	

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date: 9 / 13 / 12

⁽²⁾ Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by Clinic Children Aged < 5 Years (2)

	Co	mparison of Age Dis	tribution	
Clinic	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months
	(3,4)	%	%	%
Estes Park	83	*	*	*
Fairplay	72	*	*	*
Firestone	534	37.5	20.2	42.3
Florence	30	*	*	*
Fnt Valley	1,884	36.1	21.1	42.7
Frisco	378	32.8	19.3	47.9
Ft Collins	1,534	36.4	20.7	42.9
Ft. Morgan	834	38.8	19.8	41.4
Gilpin	13	*	*	*
Glenwood	674	33.4	22.4	44.2
Grand Junc	2,222	38.5	21.8	39.7
Greeley	312	47.4	17.6	34.9
Gunnison	210	30.5	21.9	47.6
Holyoke	98	*	*	*
HotSulphur	145	26.2	22.8	51.0
Hugo	78	*	*	*
Idaho Sprg	103	33.0	26.2	40.8
Ignacio	101	20.8	24.8	54.5

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

9 / 13 / 12

⁽²⁾ Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by Clinic Children Aged < 5 Years (2)

	Cor	nparison of Age Dist	tribution		
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %	
Illiff	3,689	42.5	18.0	39.6	
Julesburg	45	*	*	*	
La Junta	287	35.5	18.1	46.3	
Lafayette	361	36.6	19.7	43.8	
Lake Plaza	2,144	34.0	20.6	45.4	
Lakewood	2,210	36.9	20.5	42.6	
Lamar	392	35.2	19.9	44.9	
Las Animas	94	*	*	*	
Leadville	127	31.5	22.8	45.7	
Limon	7	*	*	*	
Lonetree	460	43.5	16.7	39.8	
Longmont	1,475	33.8	20.9	45.2	
Loveland	911	37.0	20.4	42.6	
Manz/Fow	32	*	*	*	
Meeker	61	*	*	*	
Montbello	1,961	34.4	19.8	45.7	
Monte Vist	285	27.4	20.0	52.6	
Montrose	620	35.3	18.9	45.8	

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date: 9 / 13 / 12

10

⁽²⁾ Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by Clinic Children Aged < 5 Years (2)

	Con	nparison of Age Dis	tribution		
Clinic	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months	
	(3,4)	%	%	%	
Northglenn	3,798	43.1	17.7	39.2	
Norwood	20	*	*	*	
Nucla	25	*	*	*	
Olathe	97	*	*	*	
Ordwy/Manz	43	*	*	*	
Ouray	46	*	*	*	
Pagosa Spr	243	32.1	21.0	46.9	
Pan/Hot/Ce	31	*	*	*	
Pecos	1,876	41.8	17.1	41.0	
Pitkin	59	*	*	*	
Pueblo	3,065	33.2	19.3	47.4	
PuebloW	332	29.5	21.4	49.1	
Rangely	62	*	*	*	
Rifle	548	30.1	23.2	46.7	
Rocky Ford	238	34.9	18.5	46.6	
Salida	151	27.8	23.2	49.0	
Springfield	92	*	*	*	
Steamboat	191	36.6	17.3	46.1	

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

11

9 / 13 / 12

⁽²⁾ Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by Clinic Children Aged < 5 Years (2)

	Cor	mparison of Age Dist	tribution	
Clinic	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months
	(3,4)	%	%	%
Sterling	310	39.4	17.4	43.2
Sunrise	2,141	38.0	20.4	41.6
Telluride	76	*	*	*
Trinidad	257	39.3	16.3	44.4
Walden	24	*	*	*
Walsenburg	96	*	*	*
Westcliffe	22	*	*	*
Westside	4,475	35.7	20.6	43.8
Yuma	259	35.1	20.1	44.8
Colorado	70,266	36.6	19.8	43.7
Nation (Prior Year)	8,672,965	33.7	22.1	44.2



Page:

Run Date: 9 / 13 / 12

12

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 13 Run Date: 9 / 13 / 12

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight (3,4	4)		Ane	mia
		Low	High		Short Stature	Under- weight	Obese	(≥ 2 Yrs Overweight ar Obese	nd	Low F	lb/Hct
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Akron	17	* *	* *	41	* *	* *	* *	15	* *	* *	0	* *
Alamosa	210	9.5 (31)	1.9 (2)	658	13.1 (60)	2.1 (15)	7.6 (35)	333	18.9 (47)	12.3 (36)	0	* *
Altn-Colfx	828	10.3 (34)	4.5 (23)	2,633	6.8 (17)	5.0 (58)	7.2 (27)	1,201	8.5 (2)	7.6 (11)	0	* *
Arvada	495	8.1 (11)	4.2 (17)	1,380	10.1 (53)	3.0 (38)	7.8 (39)	594	14.1 (20)	12.8 (39)	0	* *
Aurora	701	9.1 (24)	4.6 (25)	2,233	6.6 (14)	2.3 (23)	9.0 (48)	1,037	15.5 (32)	11.4 (35)	0	* *
Avon	114	11.4 (39)	2.6 (5)	268	10.8 (57)	2.2 (17)	7.5 (29)	119	16.0 (38)	10.1 (29)	0	* *
Avondale	7	* *	* *	36	* *	* *	* *	26	* *	* *	0	* *
Bailey	20	* *	* *	54	* *	* *	* *	22	* *	* *	0	* *
Bennett Y	27	* *	* *	97	* *	* *	* *	44	* *	* *	0	* *
Boulder M	180	7.2 (7)	2.2 (3)	579	4.1 (1)	2.2 (17)	8.1 (43)	274	14.6 (24)	9.5 (25)	0	* *
Brighton	242	8.3 (15)	4.5 (23)	720	9.0 (46)	1.1 (1)	7.5 (29)	325	13.8 (17)	7.7 (12)	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 14 Run Date: 9 / 13 / 12

			Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight (3,	4)		۸۰۰۸	
		Low	High		Short Stature	Under- weight		(≥ 2 Yrs Overweight an Obese	d	Ane Low F	lb/Hct
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Broomfield	95	* *	* *	291	6.9 (18)	3.4 (45)	5.8 (14)	125	13.6 (16)	9.6 (26)	0	* *
Buena Vist	14	* *	* *	50	* *	* *	* *	22	* *	* *	0	* *
Burlington	55	* *	* *	220	5.9 (6)	2.3 (23)	10.5 (58)	123	13.0 (13)	16.3 (49)	0	* *
Canon City	212	12.3 (41)	5.2 (31)	596	8.1 (37)	2.2 (17)	5.5 (9)	255	17.3 (43)	7.1 (6)	0	* *
Center	48	* *	* *	164	13.4 (61)	3.0 (38)	6.7 (21)	88	* *	* *	0	* *
Comm City	496	7.7 (9)	6.0 (37)	1,511	7.2 (23)	1.4 (6)	7.5 (29)	676	14.9 (26)	8.3 (16)	0	* *
Conifer	8	* *	* *	22	* *	* *	* *	7	* *	* *	0	* *
Cortez	128	5.5 (2)	3.9 (13)	368	8.2 (38)	4.3 (55)	7.3 (28)	190	15.3 (28)	7.9 (14)	0	* *
Craig	106	9.4 (26)	5.7 (36)	236	5.5 (2)	6.4 (59)	5.9 (17)	83	* *	* *	0	* *
Cripple Cr	29	* *	* *	83	* *	* *	* *	32	* *	* *	0	* *
Crst Butte	6	* *	* *	7	* *	* *	* *	0	* *	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 15 Run Date: 9 / 13 / 12

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight (3,4	4)		Ane	mia
		Low	High		Short Stature		Obese	(≥ 2 Yrs Overweight ar Obese	nd	Low H	lb/Hct
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Cstle Rock	218	10.6 (37)	6.4 (38)	542	8.9 (45)	3.1 (40)	7.6 (35)	200	18.5 (46)	10.0 (27)	0	* *
Delta	91	* *	* *	269	10.0 (52)	4.5 (57)	5.6 (11)	128	15.6 (34)	8.6 (17)	0	* *
Divide	39	* *	* *	105	9.5 (48)	7.6 (60)	2.9 (2)	43	* *	* *	0	* *
Dove Creek	8	* *	* *	20	* *	* *	* *	7	* *	* *	0	* *
Durango	188	6.9 (5)	7.4 (41)	417	7.2 (23)	2.4 (28)	4.8 (6)	141	11.3 (4)	5.7 (4)	0	* *
Eads	2	* *	* *	9	* *	* *	* *	4	* *	* *	0	* *
Eagle	59	* *	* *	144	6.3 (11)	1.4 (6)	6.9 (23)	64	* *	* *	0	* *
Eastside	990	9.4 (26)	5.2 (31)	3,012	7.4 (27)	3.4 (45)	7.0 (25)	1,352	11.5 (6)	9.2 (23)	0	* *
Edgewater	246	8.5 (18)	4.9 (28)	811	9.5 (48)	2.2 (17)	8.0 (41)	373	11.3 (4)	13.9 (47)	0	* *
El Jebel	44	* *	* *	137	11.7 (59)	2.2 (17)	10.9 (60)	68	* *	* *	0	* *
El Paso M	1,031	11.5 (40)	4.3 (20)	2,544	8.0 (34)	3.6 (48)	5.9 (17)	1,045	12.8 (11)	7.9 (14)	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 16 Run Date: 9 / 13 / 12

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight (3,4	4)		Ane	mia
		Low	High		Short Stature	Under- weight	Obese	(≥ 2 Yrs Overweight an Obese	ıd	Low F	lb/Hct
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
El Paso N	858	10.3 (34)	5.1 (30)	2,667	10.6 (56)	2.4 (28)	5.1 (7)	1,220	13.5 (15)	5.0 (2)	0	* *
Elizabeth	14	* *	* *	33	* *	* *	* *	10	* *	* *	0	* *
Englewood	432	8.6 (20)	2.8 (6)	1,168	9.8 (51)	3.3 (44)	8.0 (41)	488	11.5 (6)	10.5 (31)	0	* *
Estes Park	20	* *	* *	76	* *	* *	* *	44	* *	* *	0	* *
Fairplay	26	* *	* *	52	* *	* *	* *	21	* *	* *	0	* *
Firestone	181	11.0 (38)	3.9 (13)	503	7.2 (23)	2.8 (36)	7.6 (35)	223	15.7 (36)	9.4 (24)	0	* *
Florence	5	* *	* *	26	* *	* *	* *	13	* *	* *	0	* *
Fnt Valley	593	8.3 (15)	3.7 (10)	1,530	7.4 (27)	1.6 (10)	4.1 (5)	654	15.3 (28)	4.1 (1)	0	* *
Frisco	97	* *	* *	286	10.5 (55)	3.8 (50)	3.5 (3)	137	14.6 (24)	5.1 (3)	0	* *
Ft Collins	510	10.2 (33)	4.1 (16)	1,392	7.1 (21)	3.2 (41)	6.9 (23)	614	12.9 (12)	10.3 (30)	0	* *
Ft. Morgan	286	5.2 (1)	5.2 (31)	805	6.3 (11)	1.1 (1)	9.1 (49)	338	14.5 (23)	10.9 (33)	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 17 Run Date: 9 / 13 / 12

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight (3,4	4)		Ane	mia
		Low	High		Short Stature		Obese	(≥ 2 Yrs Overweight an Obese	d	Low F	lb/Hct
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Gilpin	4	* *	* *	8	* *	* *	* *	2	* *	* *	0	* *
Glenwood	175	8.0 (10)	2.9 (7)	463	6.9 (18)	1.5 (8)	7.6 (35)	187	16.6 (40)	10.7 (32)	0	* *
Grand Junc	742	8.8 (21)	3.4 (9)	2,110	7.6 (30)	2.2 (17)	9.1 (49)	796	15.1 (27)	13.2 (42)	0	* *
Greeley	129	8.5 (18)	4.7 (26)	280	10.4 (54)	2.9 (37)	16.4 (61)	104	15.4 (30)	24.0 (50)	0	* *
Gunnison	48	* *	* *	132	6.1 (8)	3.8 (50)	9.1 (49)	58	* *	* *	0	* *
Holyoke	26	* *	* *	93	* *	* *	* *	47	* *	* *	0	* *
HotSulphur	32	* *	* *	90	* *	* *	* *	50	* *	* *	0	* *
Hugo	27	* *	* *	75	* *	* *	* *	32	* *	* *	0	* *
Idaho Sprg	27	* *	* *	49	* *	* *	* *	16	* *	* *	0	* *
Ignacio	17	* *	* *	61	* *	* *	* *	33	* *	* *	0	* *
Illiff	1,310	13.7 (42)	4.2 (17)	3,634	8.8 (43)	3.2 (41)	6.2 (19)	1,438	13.9 (18)	9.0 (20)	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 18 Run Date: 9 / 13 / 12

		(Comparis	on of G	rowth ar	nd Anen	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight (3,4	4)		Ane	mia
		Low	High		Short Stature	Under- weight	Obese	C	≥ 2 Yrs Overweight and Obese	d	Low H	b/Hct
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Julesburg	15	* *	* *	39	* *	* *	* *	17	* *	* *	0	* *
La Junta	91	* *	* *	266	9.4 (47)	2.6 (34)	5.6 (11)	126	11.9 (9)	7.1 (6)	0	* *
Lafayette	118	5.9 (4)	6.8 (39)	341	5.9 (6)	2.3 (23)	5.3 (8)	148	16.2 (39)	7.4 (9)	0	* *
Lake Plaza	617	8.1 (11)	4.9 (28)	1,745	9.5 (48)	1.6 (10)	5.8 (14)	784	15.4 (30)	7.5 (10)	0	* *
Lakewood	744	8.1 (11)	4.4 (21)	2,018	7.6 (30)	3.9 (52)	5.7 (13)	845	13.1 (14)	9.1 (21)	0	* *
Lamar	117	10.3 (34)	1.7 (1)	332	7.8 (33)	1.2 (3)	7.5 (29)	152	17.8 (44)	8.6 (17)	0	* *
Las Animas	28	* *	* *	71	* *	* *	* *	33	* *	* *	0	* *
Leadville	34	* *	* *	114	6.1 (8)	3.5 (47)	7.9 (40)	51	* *	* *	0	* *
Limon	1	* *	* *	7	* *	* *	* *	4	* *	* *	0	* *
Lonetree	171	7.6 (8)	2.3 (4)	455	5.5 (2)	4.0 (53)	5.5 (9)	178	11.2 (3)	7.3 (8)	0	* *
Longmont	411	5.8 (3)	3.2 (8)	1,420	5.7 (5)	1.5 (8)	8.9 (47)	646	18.4 (45)	13.6 (45)	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 19 Run Date: 9 / 13 / 12

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight (3,4	4)		Ane	mia
		Low	High		Short Stature	Under- weight		(≥ 2 Yrs Overweight ar Obese	nd	Low F	lb/Hct
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Loveland	302	7.0 (6)	5.6 (35)	835	6.6 (14)	3.6 (48)	6.8 (22)	361	16.6 (40)	8.9 (19)	0	* *
Manz/Fow	9	* *	* *	32	* *	* *	* *	16	* *	* *	0	* *
Meeker	25	* *	* *	38	* *	* *	* *	11	* *	* *	0	* *
Montbello	606	9.4 (26)	3.8 (11)	1,622	8.3 (39)	2.4 (28)	10.5 (58)	751	16.8 (42)	13.4 (43)	0	* *
Monte Vist	66	* *	* *	198	6.1 (8)	4.0 (53)	8.6 (46)	106	12.3 (10)	14.2 (48)	0	* *
Montrose	185	8.1 (11)	3.8 (11)	573	8.0 (34)	2.1 (15)	7.5 (29)	277	15.9 (37)	6.1 (5)	0	* *
Northglenn	1,391	9.1 (24)	4.8 (27)	3,692	7.4 (27)	2.3 (23)	6.5 (20)	1,443	15.5 (32)	9.1 (21)	0	* *
Norwood	2	* *	* *	15	* *	* *	* *	9	* *	* *	0	* *
Nucla	8	* *	* *	19	* *	* *	* *	9	* *	* *	0	* *
Olathe	27	* *	* *	95	* *	* *	* *	44	* *	* *	0	* *
Ordwy/Manz	7	* *	* *	43	* *	* *	* *	24	* *	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 20 Run Date: 9 / 13 / 12

			Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight (3,4	4)		A	
		Low	High		Short Stature	Under- weight		(≥ 2 Yrs Overweight ar Obese	nd	Ane Low F	Hb/Hct
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Ouray	9	* *	* *	28	* *	* *	* *	16	* *	* *	0	* *
Pagosa Spr	57	* *	* *	156	11.5 (58)	3.2 (41)	5.8 (14)	65	* *	* *	0	* *
Pan/Hot/Ce	5	* *	* *	22	* *	* *	* *	14	* *	* *	0	* *
Pecos	695	8.3 (15)	5.3 (34)	1,824	8.8 (43)	1.8 (13)	10.1 (56)	749	14.3 (22)	13.4 (43)	0	* *
Pitkin	20	* *	* *	39	* *	* *	* *	11	* *	* *	0	* *
Pueblo	939	9.4 (26)	4.2 (17)	2,914	8.7 (42)	1.6 (10)	10.3 (57)	1,398	14.2 (21)	12.9 (40)	0	* *
PuebloW	87	* *	* *	323	7.1 (21)	2.5 (31)	9.9 (53)	160	22.5 (49)	12.5 (38)	0	* *
Rangely	13	* *	* *	48	* *	* *	* *	20	* *	* *	0	* *
Rifle	124	9.7 (32)	4.0 (15)	356	5.6 (4)	2.5 (31)	7.0 (25)	150	5.3 (1)	10.0 (27)	0	* *
Rocky Ford	69	* *	* *	235	8.5 (41)	1.3 (5)	8.1 (43)	110	20.0 (48)	10.9 (33)	0	* *
Salida	32	* *	* *	133	8.3 (39)	2.3 (23)	3.8 (4)	67	* *	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 21 Run Date: 9 / 13 / 12

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight (3,4	4)		Ane	mia
		Low	High		Short Stature	Under- weight	Obese	(≥ 2 Yrs Overweight an Obese	d	Low H	lb/Hct
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Springfield	26	* *	* *	74	* *	* *	* *	35	* *	* *	0	* *
Steamboat	59	* *	* *	128	7.0 (20)	7.8 (61)	1.6 (1)	51	* *	* *	0	* *
Sterling	100	9.0 (23)	10.0 (42)	303	6.3 (11)	2.0 (14)	9.9 (53)	130	11.5 (6)	13.8 (46)	0	* *
Sunrise	685	8.8 (21)	7.0 (40)	1,910	8.0 (34)	2.7 (35)	9.5 (52)	814	15.6 (34)	13.0 (41)	0	* *
Telluride	16	* *	* *	46	* *	* *	* *	20	* *	* *	0	* *
Trinidad	91	* *	* *	232	7.3 (26)	4.3 (55)	9.9 (53)	98	* *	* *	0	* *
Walden	8	* *	* *	18	* *	* *	* *	7	* *	* *	0	* *
Walsenburg	36	* *	* *	77	* *	* *	* *	25	* *	* *	0	* *
Westcliffe	3	* *	* *	14	* *	* *	* *	9	* *	* *	0	* *
Westside	1,346	9.4 (26)	4.4 (21)	4,217	7.6 (30)	2.5 (31)	8.1 (43)	1,889	13.9 (18)	12.3 (36)	0	* *
Yuma	74	* *	* *	255	6.7 (16)	1.2 (3)	7.5 (29)	115	29.6 (50)	7.8 (13)	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 22 Run Date: 9 / 13 / 12

			Comparis	son of Gr	owth a	nd Ane	mia Indi	cators		(3,4)		
		Birthweigh	t (5)			Н	leight and V	Veight (3,4)		Δησ	emia
		Low	High		Short Stature	Under weigh		0	≥ 2 Yrs verweight ar Obese	nd	Low I	Hb/Hct 8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweigh (Rank)	% t Obese (Rank)	Number	% (Rank)
Colorado	21,982	9.4	4.4	63,112	8.0	2.7	7.5	27,529	14.2	10.0	0	*
Nation (Prior Year)	1,851,546	9.0	6.3	8,057,124	6.3	3.6	12.4	3,572,93	9 16.1	14.4	5,391,027	14.6



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

⁽⁵⁾ Infants born during the reporting period included in the analysis.

⁽⁶⁾ Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

⁽⁷⁾ Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

⁽⁸⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Colorado Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years (3) Run Date:

Page:

9 / 13 / 12

(2)

			Breastfe	•				Exclusive E	Breastfeedi (7)	ng	≤2 Hou Viewin (i		Smoki House	
Clinic	Number	Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Akron	16	* *	0	* *	0	* *	0	* *	0	* *	15	* *	39	* *
Alamosa	208	66.3 (38)	0	* *	0	* *	0	* *	0	* *	339	85.8 (17)	766	1.8 (25
Altn-Colfx	683	81.3 (17)	0	* *	0	* *	0	* *	0	* *	700	83.3 (22)	1,956	2.9 (35
Arvada	457	75.9 (26)	0	* *	0	* *	0	* *	0	* *	265	89.1 (9)	752	1.1 (12
Aurora	599	79.6 (21)	0	* *	0	* *	0	* *	0	* *	900	79.7 (33)	1,794	1.7 (23
Avon	95	* *	0	* *	0	* *	0	* *	0	* *	104	81.7 (27)	279	0.0 (1)
Avondale	5	* *	0	* *	0	* *	0	* *	0	* *	25	* *	34	* *
Bailey	19	* *	0	* *	0	* *	0	* *	0	* *	11	* *	44	* *
Bennett Y	26	* *	0	* *	0	* *	0	* *	0	* *	31	* *	72	* *
Boulder M	169	88.2 (4)	0	* *	0	* *	0	* *	0	* *	247	96.0 (2)	449	0.0 (1)
Brighton	191	82.2 (13)	0	* *	0	* *	0	* *	0	* *	228	68.9 (43)	588	1.9 (26
Broomfield	87	* *	0	* *	0	* *	0	* *	0	* *	99	* *	237	2.1 (29
Buena Vist	14	* *	0	* *	0	* *	0	* *	0	* *	19	* *	37	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years (3)

Page: 24 Run Date: 9 / 13 / 12

(2)

			Breastfe (6	•				Exclusive B	reastfeedin (7)	ıg	≤2 Hou Viewing (8)		Smoki House	
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Burlington	49	* *	0	* *	0	* *	0	* *	0	* *	109	88.1 (11)	186	2.2 (30)
Canon City	199	69.3 (37)	0	* *	0	* *	0	* *	0	* *	152	91.4 (3)	370	3.8 (41)
Center	47	* *	0	* *	0	* *	0	* *	0	* *	81	* *	164	0.0 (1)
Comm City	403	77.9 (24)	0	* *	0	* *	0	* *	0	* *	471	75.8 (39)	1,247	3.7 (40)
Conifer	8	* *	0	* *	0	* *	0	* *	0	* *	5	* *	20	* *
Cortez	103	80.6 (19)	0	* *	0	* *	0	* *	0	* *	148	79.7 (33)	315	6.7 (57)
Craig	88	* *	0	* *	0	* *	0	* *	0	* *	64	* *	200	4.5 (46)
Cripple Cr	28	* *	0	* *	0	* *	0	* *	0	* *	30	* *	78	* *
Crst Butte	5	* *	0	* *	0	* *	0	* *	0	* *	0	* *	7	* *
Cstle Rock	201	82.6 (11)	0	* *	0	* *	0	* *	0	* *	32	* *	173	3.5 (38)
Delta	93	* *	0	* *	0	* *	0	* *	0	* *	110	79.1 (36)	238	0.0 (1)
Divide	38	* *	0	* *	0	* *	0	* *	0	* *	41	* *	95	* *
Dove Creek	7	* *	0	* *	0	* *	0	* *	0	* *	7	* *	20	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years (3)

		Comp	arison	of Breas	stfeedi	ng, TV \	iewing	, and Sm	oking in House	hold (4,	5)		
			Breastfe					Exclusive E	Breastfeeding (7)	≤2 Hou Viewir		Smoki House	
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Durango	156	85.9 (6)	0	* *	0	* *	0	* *	0 * *	119	89.9 (8)	322	1.2 (15)
Eads	2	* *	0	* *	0	* *	0	* *	0 * *	2	* *	5	* *
Eagle	46	* *	0	* *	0	* *	0	* *	0 * *	29	* *	141	0.7 (7)
Eastside	946	81.2 (18)	0	* *	0	* *	0	* *	0 * *	1,071	83.6 (20)	2,523	4.0 (44)
Edgewater	217	69.6 (36)	0	* *	0	* *	0	* *	0 * *	303	79.2 (35)	670	6.4 (56)
El Jebel	39	* *	0	* *	0	* *	0	* *	0 * *	75	* *	158	1.3 (17)
El Paso M	1,026	73.4 (31)	0	* *	0	* *	0	* *	0 * *	990	82.6 (24)	2,353	2.6 (34)
El Paso N	808	71.5 (33)	0	* *	0	* *	0	* *	0 * *	727	90.1 (6)	1,823	3.9 (42)
Elizabeth	15	* *	0	* *	0	* *	0	* *	0 * *	4	* *	19	* *
Englewood	425	78.6 (23)	0	* *	0	* *	0	* *	0 * *	448	90.2 (5)	919	0.8 (9)
Estes Park	19	* *	0	* *	0	* *	0	* *	0 * *	37	* *	70	* *
Fairplay	21	* *	0	* *	0	* *	0	* *	0 * *	13	* *	40	* *
Firestone	165	73.9 (30)	0	* *	0	* *	0	* *	0 * *	137	59.9 (45)	376	6.1 (55)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page:

Run Date:

(2)

9 / 13 / 12

Colorado
Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

Page: 26 Run Date: 9 / 13 / 12

(2)

			Breastfe	•				Exclusive B	reastfeedii (7)	ng	≤2 Hou Viewin (Smoki House	
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Florence	2	* *	0	* *	0	* *	0	* *	0	* *	2	* *	3	* *
Fnt Valley	565	75.4 (27)	0	* *	0	* *	0	* *	0	* *	129	68.2 (44)	641	1.6 (21)
Frisco	89	* *	0	* *	0	* *	0	* *	0	* *	114	82.5 (25)	268	0.7 (7)
Ft Collins	497	84.1 (10)	0	* *	0	* *	0	* *	0	* *	327	85.9 (16)	1,079	2.3 (31)
Ft. Morgan	210	60.0 (39)	0	* *	0	* *	0	* *	0	* *	302	80.8 (28)	635	5.4 (51)
Gilpin	4	* *	0	* *	0	* *	0	* *	0	* *	0	* *	3	* *
Glenwood	163	95.1 (1)	0	* *	0	* *	0	* *	0	* *	15	* *	256	2.0 (28)
Grand Junc	697	82.6 (11)	0	* *	0	* *	0	* *	0	* *	485	83.5 (21)	998	2.4 (32)
Greeley	127	85.0 (8)	0	* *	0	* *	0	* *	0	* *	95	* *	262	1.1 (12)
Gunnison	41	* *	0	* *	0	* *	0	* *	0	* *	48	* *	117	5.1 (50)
Holyoke	21	* *	0	* *	0	* *	0	* *	0	* *	37	* *	60	* *
HotSulphur	23	* *	0	* *	0	* *	0	* *	0	* *	39	* *	73	* *
Hugo	25	* *	0	* *	0	* *	0	* *	0	* *	31	* *	68	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Colorado
Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

* *

55

138

0

0

0

Page: 27 Run Date: 9 / 13 / 12

(2)

105

308

91.3 (4)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4.5)<2 Hours TV Smoking in Breastfeeding **Exclusive Breastfeeding** Viewing/Day Household (7) (6) (8) % % % Clinic Number % Number % % % Number Number Number Number Number Ever Breastfed Breastfed Breastfed Breastfed Breastfed Αt Αt Αt Αt Least Least Least Least 6 12 3 6 Months Months Months Months (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) 22 0 * * 3 31 Idaho Sprq 12 0 0 0 29 46 Ignacio * * 0 1,224 0 0 917 2,296 Illiff 82.0 (14) 79.8 (32) 1.4 (18) 0 0 0 27 14 12 Julesburg 0 * * * * 78 0 0 99 201 La Junta 3.5 (38) Lafavette 114 91.2 (2) 132 87.9 (12) 288 1.0 (11) Lake Plaza 572 0 0 0 493 82.8 (23) 71.2 (35) 1,465 1.7 (23) 0 0 * * 0 Lakewood 637 81.8 (15) 648 80.6 (30) 1,437 1.5 (20) * * * * 114 0 * * 0 0 148 285 78.9 (22) 85.1 (18) Lamar 1.1 (12) 27 * * 0 0 38 61 Las Animas

(1) Reporting period is January 1 through December 31.

34

143

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

* *

80.4 (20)

0

0

(3) Analyses based on one record per child.

Leadville

Lonetree

Limon

- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* *

0

0

- 7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



18.1 (59)

5.8 (53)

Children Aged < 5 Years (3)

Colorado
Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic

0

0

(2)

9 / 13 / 12

Page:

Run Date:

77

38

15

39

24

11

		Comp	arison	of Breas	stfeedi	ng, TV Vi	ewing	յ, and S	mo	king in Hous	ehold (4,5)		
			Breastfe	eeding 6)				Exclusive		eastfeeding (7)		ours TV ring/Day (8)		king in sehold
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	Breastfed At Least 12 Months	Numbei	Breastfe At Least 3 Months	ed	Number % Breastfe At Least 6 Months	Numbe		Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Longmont	369	88.9 (3)	0	* *	0	* *	0	* *	- 1	0 * *	368	86.4 (14)	888	0.9 (10)
Loveland	275	81.8 (15)	0	* *	0	* *	0	* *		0 * *	211	90.0 (7)	642	1.4 (18)
Manz/Fow	7	* *	0	* *	0	* *	0	* *		0 * *	11	* *	22	* *
Meeker	21	* *	0	* *	0	* *	0	* *	(0 * *	5	* *	31	* *
Montbello	604	85.4 (7)	0	* *	0	* *	0	* *	(0 * *	662	80.2 (31)	1,629	1.6 (21)
Monte Vist	67	* *	0	* *	0	* *	0	* *	-	0 * *	134	73.1 (42)	240	4.2 (45)
Montrose	143	74.1 (29)	0	* *	0	* *	0	* *	(0 * *	143	88.8 (10)	397	13.4 (58)
Northglenn	1,211	71.3 (34)	0	* *	0	* *	0	* *	-	0 * *	1,169	73.8 (40)	3,010	5.8 (53)
Norwood	2	* *	0	* *	0	* *	0	* *	(0 * *	7	* *	11	* *
Nucla	6	* *	0	* *	0	* *	0	* *		0 * *	7	* *	17	* *

(1) Reporting period is January 1 through December 31.

23

- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.

Olathe

Ouray

Ordwy/Manz

- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- 7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

0

0

- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

0

0

0



Colorado
Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

Page: 29 Run Date: 9 / 13 / 12

(2)

		Comp	arison	of Breas	stfeedi	ng, TV Vi	iewing	, and Sm	oking i	n House	hold (4,	5)		
			Breastfe	eeding 6)				Exclusive B	reastfeedi (7)	ng	≤2 Hou Viewin (Smok Hous	ing in ehold
Clinic	Number	Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	Breastfed At Least 12 Months	Number	Breastfed At Least 3 Months	Number	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Pagosa Spr	44	* *	0	* *	0	* *	0	* *	0	* *	60	* *	125	2.4 (32)
Pan/Hot/Ce	5	* *	0	* *	0	* *	0	* *	0	* *	6	* *	19	* *
Pecos	571	74.6 (28)	0	* *	0	* *	0	* *	0	* *	647	86.7 (13)	1,351	3.9 (42)
Pitkin	18	* *	0	* *	0	* *	0	* *	0	* *	10	* *	39	* *
Pueblo	854	72.7 (32)	0	* *	0	* *	0	* *	0	* *	1,300	80.7 (29)	2,460	4.9 (49)
PuebloW	77	* *	0	* *	0	* *	0	* *	0	* *	150	86.0 (15)	262	3.4 (37)
Rangely	10	* *	0	* *	0	* *	0	* *	0	* *	14	* *	34	* *
Rifle	107	86.0 (5)	0	* *	0	* *	0	* *	0	* *	132	78.8 (37)	331	4.5 (46)
Rocky Ford	61	* *	0	* *	0	* *	0	* *	0	* *	108	75.9 (38)	212	5.7 (52)
Salida	32	* *	0	* *	0	* *	0	* *	0	* *	65	* *	105	1.9 (26)
Springfield	26	* *	0	* *	0	* *	0	* *	0	* *	47	* *	91	* *
Steamboat	45	* *	0	* *	0	* *	0	* *	0	* *	32	* *	95	* *
Sterling	66	* *	0	* *	0	* *	0	* *	0	* *	118	98.3 (1)	237	4.6 (48)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: Run Date:

9 / 13 / 12

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years $^{(3)}$

(2)

		Comp	arison	of Breas	stfeedi	ng, TV Vi	ewing	, and Sm	oking in	House	hold (4,	5)		
			Breastfe	-				Exclusive B	reastfeedin (7)	g	≤2 Hou Viewin (Smokir House	
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Sunrise	647	77.0 (25)	0	* *	0	* *	0	* *	0	* *	646	82.0 (26)	1,579	0.6 (6)
Telluride	14	* *	0	* *	0	* *	0	* *	0	* *	20	* *	34	* *
Trinidad	85	* *	0	* *	0	* *	0	* *	0	* *	88	* *	182	3.3 (36)
Walden	7	* *	0	* *	0	* *	0	* *	0	* *	6	* *	13	* *
Walsenburg	34	* *	0	* *	0	* *	0	* *	0	* *	33	* *	83	* *
Westcliffe	3	* *	0	* *	0	* *	0	* *	0	* *	0	* *	5	* *
Westside	1,328	84.2 (9)	0	* *	0	* *	0	* *	0	* *	1,710	84.4 (19)	3,870	1.2 (15)
Yuma	63	* *	0	* *	0	* *	0	* *	0	* *	102	73.5 (41)	203	0.5 (5)
Colorado	20,017	78.4	0	*	0	*	0	*	0	*	20,613	82.5	48,946	2.9
Nation (Prior Year)	1,689,61	5 63.2	908,604	25.1	1,069,9	42 16.9	363,039	10.7	466,279	6.1	1,200,700	79.2	4,203,554	9.4



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁷⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

⁸⁾ Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 31 Run Date: 9 / 13 / 12

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Нє	eight and V	Veight (3,4	1)		۸۳	nemia
		Low	High		Short Stature	Under- weight	Obese	C	≥ 2 Yrs Overweight an Obese	ıd	Low	Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Akron	44	* *	* *	181	8.3 (49)	1.7 (19)	7.2 (46)	88	* *	* *	88	* *
Alamosa	809	12.1 (58)	2.1 (10)	3,219	12.2 (87)	2.3 (44)	7.7 (55)	1,499	17.3 (71)	11.9 (60)	1,620	16.5 (60)
Altn-Colfx	2,946	9.7 (42)	4.4 (37)	12,152	5.8 (10)	5.8 (91)	6.4 (32)	5,551	7.9 (3)	6.1 (13)	6,226	13.5 (51)
Arvada	1,695	8.7 (24)	4.1 (33)	6,510	9.2 (65)	2.4 (48)	7.1 (44)	2,747	14.2 (35)	10.3 (50)	3,075	10.6 (30)
Aurora	2,454	8.3 (16)	5.0 (53)	9,940	7.5 (29)	2.2 (43)	9.6 (78)	4,533	15.5 (56)	11.0 (54)	4,958	12.9 (49)
Avon	416	9.1 (30)	1.9 (8)	1,392	8.8 (60)	1.7 (19)	7.2 (46)	548	16.2 (60)	8.9 (36)	673	28.5 (72)
Avondale	30	* *	* *	180	16.1 (93)	0.6 (2)	19.4 (93)	104	16.3 (63)	19.2 (78)	114	7.0 (11)
Bailey	61	* *	* *	239	7.5 (29)	6.3 (92)	4.2 (10)	108	6.5 (1)	5.6 (11)	84	* *
Bennett Y	113	13.3 (60)	3.5 (20)	481	11.2 (85)	1.0 (10)	7.1 (44)	224	14.3 (36)	8.9 (36)	246	8.1 (14)
Boulder M	656	7.9 (13)	4.9 (51)	2,813	4.7 (5)	2.0 (29)	6.9 (41)	1,340	13.7 (28)	8.7 (31)	1,355	10.6 (30)
Brighton	925	9.0 (27)	4.8 (48)	3,720	8.3 (49)	1.6 (16)	6.8 (38)	1,667	14.9 (44)	8.8 (35)	1,797	10.6 (30)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 32 Run Date: 9 / 13 / 12

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight (3,4	4)		٨٢	nemia
		Low	High		Short Stature	Under- weight		C	≥ 2 Yrs Overweight an Obese	d	Low	Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Broomfield	363	6.6 (6)	5.8 (62)	1,478	8.7 (57)	2.4 (48)	5.5 (25)	634	12.3 (15)	8.4 (29)	684	12.7 (48)
Buena Vist	63	* *	* *	212	10.4 (78)	4.2 (82)	0.9 (1)	83	* *	* *	93	* *
Burlington	55	* *	* *	220	5.9 (12)	2.3 (44)	10.5 (85)	123	13.0 (20)	16.3 (77)	0	* *
Canon City	662	9.8 (44)	3.6 (23)	2,766	7.4 (25)	2.0 (29)	5.5 (25)	1,281	14.4 (38)	6.2 (14)	1,299	11.2 (37)
Center	156	17.9 (67)	2.6 (13)	739	9.6 (67)	3.8 (77)	5.4 (21)	397	15.1 (48)	7.3 (18)	395	22.8 (70)
Chey Wells	74	* *	* *	400	10.3 (77)	3.0 (66)	9.8 (83)	209	12.4 (16)	12.9 (67)	268	8.2 (16)
Comm City	1,612	8.4 (18)	5.8 (62)	6,672	7.1 (23)	1.5 (12)	7.8 (59)	3,155	15.3 (50)	8.7 (31)	3,271	19.0 (67)
Conifer	8	* *	* *	22	* *	* *	* *	7	* *	* *	0	* *
Cortez	459	7.4 (12)	4.6 (43)	1,871	9.6 (67)	3.2 (69)	6.5 (35)	893	11.2 (10)	7.7 (22)	926	9.9 (23)
Craig	340	9.1 (30)	3.5 (20)	1,181	7.6 (34)	3.5 (76)	5.9 (28)	453	13.2 (23)	9.3 (43)	546	16.7 (61)
Cripple Cr	207	15.9 (66)	1.4 (4)	829	12.3 (88)	3.4 (74)	3.0 (5)	348	10.6 (8)	3.7 (4)	449	14.3 (53)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 33 Run Date: 9 / 13 / 12

			Comparis	on of G	rowth ar	nd Aneı	mia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight (3,4	1)		٨٢	nemia
		Low	High		Short Stature	Under- weight		(≥ 2 Yrs Overweight an Obese	d	Low	Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Crst Butte	21	* *	* *	54	* *	* *	* *	16	* *	* *	22	* *
Cstle Rock	676	11.5 (53)	5.3 (60)	2,309	8.3 (49)	3.1 (67)	6.4 (32)	900	15.3 (50)	7.4 (19)	954	9.4 (21)
Delta	354	11.6 (54)	4.0 (30)	1,347	6.8 (21)	3.4 (74)	6.8 (38)	625	13.8 (29)	9.1 (41)	621	12.9 (49)
Divide	41	* *	* *	109	10.1 (74)	7.3 (93)	2.8 (4)	43	* *	* *	1	* *
Dove Creek	31	* *	* *	117	13.7 (90)	0.9 (8)	3.4 (6)	52	* *	* *	57	* *
Durango	605	8.6 (22)	4.5 (39)	1,997	6.9 (22)	2.0 (29)	4.8 (15)	726	13.4 (25)	7.4 (19)	859	12.6 (47)
Eads	13	* *	* *	60	* *	* *	* *	21	* *	* *	30	* *
Eagle	219	7.3 (11)	5.0 (53)	771	6.5 (19)	0.6 (2)	11.0 (87)	316	18.4 (74)	15.2 (74)	385	14.5 (54)
Eastside	4,755	10.1 (45)	4.6 (43)	17,685	7.8 (40)	2.7 (60)	7.7 (55)	7,695	14.1 (34)	9.3 (43)	8,998	12.1 (45)
Edgewater	929	9.4 (36)	5.0 (53)	3,859	7.7 (36)	2.0 (29)	7.5 (52)	1,770	15.3 (50)	10.7 (53)	1,879	10.3 (26)
El Jebel	158	5.7 (2)	5.1 (59)	566	10.2 (76)	1.6 (16)	15.2 (91)	247	15.0 (45)	15.8 (75)	281	10.7 (33)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 34 Run Date: 9 / 13 / 12

	_	ı	Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Нє	eight and V	Veight (3,4	4)			
		Low	High		Short Stature	Under- weight	Obese	(≥ 2 Yrs Overweight an Obese	d	Low	nemia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
El Paso M	4,045	10.4 (47)	3.7 (25)	15,434	9.1 (64)	2.5 (54)	5.9 (28)	6,896	13.4 (25)	6.6 (16)	7,370	11.7 (42)
El Paso N	3,247	11.6 (54)	4.0 (30)	12,878	10.4 (78)	1.6 (16)	5.4 (21)	5,684	15.8 (57)	5.0 (7)	6,329	18.4 (66)
Elizabeth	55	* *	* *	204	7.4 (25)	2.0 (29)	5.4 (21)	82	* *	* *	99	* *
Englewood	1,515	8.7 (24)	4.4 (37)	5,813	9.8 (72)	1.5 (12)	10.6 (86)	2,431	17.0 (69)	12.9 (67)	2,904	15.8 (58)
Estes Park	106	10.4 (47)	2.8 (16)	472	7.2 (24)	3.8 (77)	5.3 (19)	234	7.7 (2)	9.4 (46)	235	31.1 (73)
Fairplay	67	* *	* *	253	14.6 (91)	3.2 (69)	4.3 (12)	111	13.5 (27)	5.4 (10)	86	* *
Firestone	747	10.3 (46)	4.6 (43)	2,466	6.4 (17)	2.1 (37)	7.7 (55)	977	15.8 (57)	7.9 (24)	1,110	11.4 (39)
Florence	25	* *	* *	166	15.7 (92)	0.6 (2)	6.6 (36)	90	* *	* *	93	* *
Fnt Valley	1,769	9.2 (33)	3.7 (25)	6,858	7.9 (42)	2.0 (29)	4.1 (9)	3,107	10.8 (9)	3.7 (4)	3,389	12.0 (43)
Frisco	313	12.5 (59)	1.9 (8)	1,355	10.6 (82)	4.6 (84)	6.9 (41)	607	15.2 (49)	8.1 (26)	782	24.4 (71)
Ft Collins	1,928	9.0 (27)	4.8 (48)	6,915	7.5 (29)	2.6 (58)	7.4 (51)	2,970	14.0 (33)	10.5 (52)	3,312	10.4 (27)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 35 Run Date: 9 / 13 / 12

		ı	Comparis	on of G	rowth ar	nd Aner	mia Indi	cators		(3,4)		
		Birthweight	(5)			He	eight and V	Veight (3,4	4)			
		Low	High		Short Stature	Under- weight		(≥ 2 Yrs Overweight an Obese	d	Low	nemia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Ft. Morgan	920	5.3 (1)	4.5 (39)	3,621	6.2 (14)	0.9 (8)	9.1 (71)	1,599	15.3 (50)	9.8 (48)	1,733	9.2 (19)
Gilpin	19	* *	* *	75	* *	* *	* *	21	* *	* *	25	* *
Glenwood	597	8.9 (26)	4.0 (30)	2,047	8.4 (53)	1.8 (25)	8.4 (64)	786	16.7 (67)	9.9 (49)	903	9.1 (17)
Grand Junc	2,583	8.0 (14)	3.9 (28)	9,356	7.4 (25)	2.3 (44)	8.2 (63)	3,660	13.2 (23)	11.4 (57)	3,970	14.8 (55)
Greeley	129	8.5 (20)	4.7 (46)	280	10.4 (78)	2.9 (65)	16.4 (92)	104	15.4 (55)	24.0 (79)	0	* *
Gunnison	151	6.0 (4)	2.6 (13)	628	6.4 (17)	3.2 (69)	6.4 (32)	290	11.4 (12)	9.0 (40)	321	17.1 (64)
Holyoke	94	* *	* *	446	5.6 (8)	1.3 (11)	11.7 (89)	230	16.5 (65)	13.9 (72)	242	5.8 (7)
HotSulphur	127	15.7 (65)	3.1 (19)	464	10.1 (74)	3.2 (69)	4.3 (12)	206	13.1 (22)	5.3 (8)	245	7.8 (13)
Hugo	108	11.1 (51)	0.9 (3)	413	7.7 (36)	1.7 (19)	7.3 (49)	182	12.6 (17)	11.0 (54)	213	5.2 (6)
Idaho Sprg	91	* *	* *	312	8.3 (49)	4.8 (86)	1.9 (2)	123	11.4 (12)	0.8 (1)	106	3.8 (2)
Ignacio	71	* *	* *	340	10.9 (84)	3.2 (69)	8.5 (66)	158	20.3 (76)	8.2 (27)	181	9.4 (21)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Growth and Anemia Indicators by Clinic Children Aged < 5 Years

			Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			He	eight and V	Veight (3,4	1)			
		Low	High		Short Stature	Under- weight		C	≥ 2 Yrs Overweight an Obese	ıd	Low	nemia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Illiff	4,495	10.9 (50)	4.5 (39)	16,457	8.1 (46)	2.8 (62)	7.3 (49)	6,777	13.0 (20)	9.3 (43)	7,926	17.0 (62)
Julesburg	35	* *	* *	166	6.6 (20)	1.8 (25)	13.3 (90)	82	* *	* *	89	* *
La Junta	309	12.0 (57)	2.3 (11)	1,361	7.7 (36)	2.6 (58)	7.0 (43)	666	14.4 (38)	8.9 (36)	702	10.7 (33)
Lafayette	430	5.8 (3)	6.5 (66)	1,832	5.8 (10)	1.7 (19)	9.6 (78)	869	16.6 (66)	12.9 (67)	921	11.3 (38)
Lake Plaza	1,918	8.6 (22)	5.0 (53)	7,117	9.3 (66)	1.7 (19)	5.9 (28)	3,161	14.7 (43)	6.8 (17)	3,363	20.9 (69)
Lakewood	2,395	10.6 (49)	4.5 (39)	8,891	7.6 (34)	2.8 (62)	5.9 (28)	3,646	12.8 (18)	8.7 (31)	4,120	10.9 (36)
Lamar	380	7.1 (10)	4.7 (46)	1,609	6.2 (14)	1.7 (19)	11.1 (88)	746	16.2 (60)	16.0 (76)	845	9.9 (23)
Las Animas	108	9.3 (34)	2.8 (16)	433	10.4 (78)	2.5 (54)	9.5 (77)	197	17.3 (71)	12.7 (66)	224	7.1 (12)
Leadville	171	15.2 (64)	0.6 (1)	733	9.7 (70)	3.8 (77)	4.8 (15)	323	8.7 (4)	6.5 (15)	320	12.2 (46)
Limon	1	* *	* *	7	* *	* *	* *	4	* *	* *	0	* *
Lonetree	621	11.4 (52)	4.3 (35)	2,159	7.4 (25)	3.9 (80)	4.9 (18)	831	11.2 (10)	5.3 (8)	935	8.1 (14)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page:

Run Date: 9 / 13 / 12

Page: 37 Run Date: 9 / 13 / 12

Comparison of Growth and Anemia Indicators by Clinic Children Aged < 5 Years (2)

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight (3,4	4)		٨٢	nemia
		Low	High		Short Stature	Under- weight	Obese	(≥ 2 Yrs Overweight ar Obese	nd	Low	Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Longmont	1,654	7.0 (9)	5.0 (53)	7,102	6.3 (16)	1.5 (12)	9.6 (78)	3,293	17.2 (70)	13.4 (70)	3,638	10.7 (33)
Loveland	1,013	9.3 (34)	4.3 (35)	4,100	8.7 (57)	2.4 (48)	7.2 (46)	1,816	14.3 (36)	9.2 (42)	1,942	13.7 (52)
Manz/Fow	53	* *	* *	276	12.0 (86)	0.7 (5)	4.3 (12)	133	26.3 (79)	3.0 (3)	164	9.1 (17)
Meeker	61	* *	* *	211	4.3 (3)	2.4 (48)	8.5 (66)	96	* *	* *	118	15.3 (57)
Montbello	2,122	9.0 (27)	4.8 (48)	8,188	7.5 (29)	2.3 (44)	9.3 (74)	3,585	13.9 (31)	12.3 (62)	4,185	11.4 (39)
Monte Vist	260	9.6 (41)	0.8 (2)	1,091	9.6 (67)	4.1 (81)	5.4 (21)	515	13.8 (29)	7.8 (23)	562	3.2 (1)
Montrose	713	9.5 (39)	3.8 (27)	3,355	8.7 (57)	2.1 (37)	7.7 (55)	1,680	13.9 (31)	5.9 (12)	404	9.2 (19)
Northglenn	4,465	9.7 (42)	4.2 (34)	15,712	7.7 (36)	2.1 (37)	6.6 (36)	6,354	16.2 (60)	8.7 (31)	6,633	11.6 (41)
Norwood	8	* *	* *	82	* *	* *	* *	44	* *	* *	46	* *
Nucla	38	* *	* *	175	8.0 (44)	5.7 (90)	4.0 (7)	86	* *	* *	59	* *
Olathe	80	* *	* *	399	6.0 (13)	0.5 (1)	10.0 (84)	203	15.3 (50)	11.8 (59)	24	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 38 Run Date: 9 / 13 / 12

Comparison of Growth and Anemia Indicators by Clinic Children Aged < 5 Years (2)

			Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight (3,4	4)			
		Low	High		Short Stature	Under- weight	Obese	(≥ 2 Yrs Overweight ar Obese	nd	Low	nemia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% t Obese (Rank)	Number	% (Rank)
Ordwy/Manz	18	* *	* *	84	* *	* *	* *	41	* *	* *	29	* *
Ouray	26	* *	* *	114	7.9 (42)	4.4 (83)	5.3 (19)	57	* *	* *	55	* *
Pagosa Spr	200	9.5 (39)	2.5 (12)	727	12.4 (89)	2.8 (62)	4.0 (7)	323	8.7 (4)	4.0 (6)	134	19.4 (68)
Pan/Hot/Ce	21	* *	* *	131	5.3 (6)	3.1 (67)	8.4 (64)	64	* *	* *	71	* *
Pecos	2,373	8.3 (16)	5.5 (61)	9,172	8.5 (54)	1.9 (28)	9.7 (82)	4,034	15.0 (45)	10.3 (50)	4,581	14.9 (56)
Pitkin	61	* *	* *	186	2.2 (1)	4.8 (86)	4.8 (15)	67	* *	* *	78	* *
Pueblo	3,378	9.4 (36)	3.6 (23)	12,878	9.0 (63)	1.8 (25)	9.3 (74)	5,921	14.4 (38)	11.4 (57)	6,468	9.9 (23)
PuebloW	103	6.8 (8)	3.9 (28)	355	8.2 (48)	2.5 (54)	9.3 (74)	173	20.8 (77)	12.1 (61)	17	* *
Rag/Strat	65	* *	* *	406	5.4 (7)	2.5 (54)	8.9 (70)	209	16.3 (63)	13.4 (70)	294	6.1 (8)
Rangely	53	* *	* *	207	4.3 (3)	5.3 (88)	6.8 (38)	85	* *	* *	96	* *
Rifle	480	6.7 (7)	5.0 (53)	1,828	5.6 (8)	1.5 (12)	7.9 (61)	776	11.5 (14)	8.5 (30)	776	6.4 (10)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 39 Run Date: 9 / 13 / 12

Comparison of Growth and Anemia Indicators by Clinic Children Aged < 5 Years (2)

			Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight (3,4	4)			
		Low	High		Short Stature	Under- weight	Obese	(≥ 2 Yrs Overweight ar Obese	nd	Low	emia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Rocky Ford	202	9.4 (36)	3.5 (20)	959	8.0 (44)	0.7 (5)	7.8 (59)	497	19.5 (75)	8.9 (36)	524	4.0 (3)
S Pueblo	194	11.9 (56)	2.6 (13)	1,797	8.9 (61)	2.4 (48)	7.6 (53)	927	14.5 (41)	7.9 (24)	1,266	6.1 (8)
Salida	127	13.4 (61)	1.6 (6)	528	10.0 (73)	2.7 (60)	2.5 (3)	221	9.5 (6)	2.3 (2)	244	4.5 (5)
San Luis	0	* *	* *	6	* *	* *	* *	4	* *	* *	5	* *
Springfield	68	* *	* *	285	8.1 (46)	4.6 (84)	8.8 (68)	137	16.8 (68)	12.4 (63)	129	17.1 (64)
Steamboat	170	14.1 (62)	2.9 (18)	546	10.6 (82)	5.5 (89)	4.2 (10)	199	10.1 (7)	7.5 (21)	188	17.0 (62)
Sterling	381	8.4 (18)	6.6 (67)	1,591	7.5 (29)	2.1 (37)	9.6 (78)	714	18.2 (73)	14.4 (73)	827	12.0 (43)
Sunrise	2,947	8.0 (14)	5.9 (64)	10,094	8.6 (55)	2.0 (29)	9.1 (71)	3,820	15.9 (59)	12.4 (63)	4,821	10.4 (27)
Telluride	49	* *	* *	190	8.9 (61)	2.1 (37)	5.8 (27)	83	* *	* *	86	* *
Trinidad	294	8.5 (20)	1.4 (4)	1,122	8.6 (55)	2.1 (37)	8.8 (68)	494	12.8 (18)	12.6 (65)	544	16.2 (59)
Walden	17	* *	* *	71	* *	* *	* *	37	* *	* *	31	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Colorado
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 40 Run Date: 9 / 13 / 12

		(Comparis	on of G	rowth aı	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			He	eight and V	Veight (3,4)			
		Low	High		Short Stature	Under- weight		C	≥ 2 Yrs >verweight ar Obese	nd	Low	emia Hb/Hct (8)
Clinic	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweigh (Rank)	% t Obese (Rank)	Number	% (Rank)
Walsenburg	129	14.7 (63)	1.6 (6)	422	9.7 (70)	2.4 (48)	9.2 (73)	159	14.5 (41)	9.4 (46)	159	32.1 (74)
Westcliffe	18	* *	* *	90	* *	* *	* *	43	* *	* *	42	* *
Westside	5,206	9.1 (30)	4.9 (51)	19,270	7.8 (40)	2.0 (29)	7.9 (61)	7,814	15.0 (45)	11.1 (56)	9,408	10.5 (29)
Yuma	249	6.0 (4)	6.4 (65)	1,101	4.1 (2)	0.8 (7)	7.6 (53)	523	22.0 (78)	8.2 (27)	585	4.4 (4)
Colorado	78,816	9.4	4.4	302,503	8.1	2.4	7.5	131,480	14.3	9.3	144,580	12.8

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years (3)

Page: Run Date: 9 / 13 / 12

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4.5)<2 Hours TV Smoking in Breastfeeding **Exclusive Breastfeeding** Viewing/Day Household (6) (7) (8) % % % % % % % Clinic Number Number Number Number Number Number Number Ever Breastfed Breastfed Breastfed Breastfed Breastfed Αt Αt Αt Αt Least Least Least Least 6 12 3 6 Months Months Months Months (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) 56 50 * * 39 Akron 32 18 15 15 1,050 842 305 259 339 768 Alamosa 65.9 (63) 27.4 (39) 646 18.7 (27) 27.5 (24) 18.5 (11) 85.8 (17) 2.0 (27) 2,960 2,226 842 723 700 1.958 Altn-Colfx 3,561 80.9 (32) 31.3 (26) 20.0 (16) 29.5 (18) 15.8 (20) 83.3 (22) 2.9 (35) 447 Arvada 2,113 74.3 (47) 1,753 28.2 (34) 1,388 18.2 (28) 540 26.7 (27) 15.4 (23) 265 89.1 (9) 746 1.1 (14) Aurora 3,000 81.1 (31) 2,450 28.6 (31) 1,727 16.5 (38) 689 25.4 (31) 614 12.9 (31) 900 79.7 (33) 1,790 1.7 (22) 505 92.7 (3) 421 38.7 (14) 300 19.0 (23) 114 45.6 (3) 105 25.7 (6) 104 81.7 (27) 280 0.0 (1) Avon 34 30 35 5 25 35 Avondale * * * 44 82 64 43 21 20 11 Bailey * * 85 * * 37 33 31 73 Bennett Y 148 79.7 (36) 125 28.0 (35) 853 697 528 40.9 (1) 191 247 448 Boulder M 91.6 (6) 53.8 (2) 41.4 (5) 163 30.1 (3) 96.0 (2) 0.0 (1) Brighton 1.108 76.2 (43) 880 32.0 (25) 656 23.0 (12) 231 29.4 (19) 198 16.7 (16) 228 68.9 (43) 587 1.9 (25) Broomfield 467 82.9 (23) 367 280 19.3 (22) 96 80 99 235 35.1 (18) 2.1 (29) 81 38 18 16 19 38 Buena Vist 61

- (1) Reporting period is January 1 through December 31.
- TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



tion Surveillance (1) Run Date:

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years $^{(3)}$

(2)

9 / 13 / 12

Page:

		Comp	arison	of Breas	stfeedi	ng, TV Vi	ewing	, and	d Sm	oking i	n Housel	nold (4,	5)			
			Breastfe	•				Exclu	ısive B	reastfeedii	ng	≤2 Hou Viewin		Smok House		
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Brea A Le Mo	ast 3 nths	Number	Breastfed At Least 6 Months	Number	%	Number	%	
		(Rank)		(Rank)		(Rank)		•	ank)		(Rank)		(Rank)		(Rar	
Burlington	90	* *	59	* *	37	* *	54	*	*	50	* *	109	88.1 (11)	186	2.2	(30)
Canon City	856	73.1 (50)	721	28.0 (35)	505	18.0 (30)	223	30.5	(14)	183	15.8 (20)	152	91.4 (3)	371	4.0	(43)
Center	213	69.5 (59)	176	23.3 (50)	133	19.5 (19)	65	*	*	59	* *	81	* *	164	0.0	(1)
Chey Wells	81	* *	73	* *	65	* *	0	*	*	0	* *	0	* *	0	*	*
Comm City	1,913	69.9 (58)	1,521	23.3 (50)	1,075	15.3 (42)	464	24.8	(32)	386	15.5 (22)	471	75.8 (39)	1,244	3.8	(41)
Conifer	12	* *	10	* *	1	* *	7	*	*	8	* *	5	* *	20	*	*
Cortez	598	86.1 (18)	449	43.4 (10)	358	30.4 (6)	120	36.7	(8)	100	28.0 (5)	148	79.7 (33)	313	6.7	(57)
Craig	397	85.9 (19)	323	29.7 (29)	227	17.2 (32)	99	*	*	73	* *	64	* *	200	5.0	(50)
Cripple Cr	268	87.7 (15)	227	32.2 (23)	153	27.5 (8)	50	*	*	39	* *	30	* *	78	*	*
Crst Butte	23	* *	19	* *	8	* *	2	*	*	2	* *	0	* *	7	*	*
Cstle Rock	845	78.6 (37)	642	34.0 (19)	414	25.1 (11)	193	32.6	(11)	157	15.3 (25)	32	* *	172	3.5	(39)
Delta	491	82.7 (24)	347	27.7 (38)	260	18.8 (25)	142	26.1	(29)	119	17.6 (12)	110	79.1 (36)	239	0.0	(1)
Divide	70	* *	44	* *	28	* *	49	*	*	38	* *	41	* *	95	*	*

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years (3)

Page: Run Date:

9 / 13 / 12

		Comp	arison	of Breas	stfeedi	ng, TV V	ewing	g, and	d Sm	oking i	n Housel	hold (4,	5)			
			Breastfe	•				Exclu	ısive B	reastfeedi (7)	ng	<2 Hou Viewin		Smoki House		
Clinic Dove Creek	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Numbe	Brea A Le ; Mor	% ustfed at ast 3 nths	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	(Rai	
Dove Creek	34	* *	27	* *	23	* *	6	*	*	6	* *	7	* *	20	*	*
Durango	736	88.5 (11)	578	39.4 (11)	369	25.7 (10)	176	42.6	(4)	147	24.5 (7)	119	89.9 (8)	323	0.9	(11)
Eads	21	* *	18	* *	14	* *	6	*	*	6	* *	2	* *	5	*	*
Eagle	264	94.3 (2)	218	45.9 (8)	164	19.5 (19)	54	*	*	47	* *	29	* *	139	0.7	(7)
Eastside	5,707	76.9 (41)	4,314	27.1 (40)	3,020	16.6 (36)	1,158	31.1	(13)	978	16.8 (13)	1,071	83.6 (20)	2,527	4.0	(43)
Edgewater	1,128	70.7 (56)	951	24.0 (49)	722	14.4 (44)	268	26.1	(29)	245	10.6 (38)	303	79.2 (35)	670	6.4	(56)
El Jebel	206	90.8 (7)	169	55.0 (1)	113	22.1 (14)	53	*	*	46	* *	75	* *	159	1.3	(17)
El Paso M	5,176	70.8 (55)	3,809	25.9 (43)	2,798	18.0 (30)	1,233	21.4	(38)	1,037	10.9 (36)	990	82.6 (24)	2,351	2.4	(32)
El Paso N	4,201	71.8 (52)	3,291	30.7 (28)	2,425	18.1 (29)	954	30.3	(15)	820	16.8 (13)	727	90.1 (6)	1,828	3.9	(42)
Elizabeth	69	* *	47	* *	31	* *	18	*	*	14	* *	4	* *	18	*	*
Englewood	1,911	76.8 (42)	1,591	24.2 (46)	1,017	13.8 (46)	470	22.8	(36)	380	12.1 (32)	448	90.2 (5)	915	0.8	(9)
Estes Park	125	84.0 (21)	107	39.3 (12)	76	* *	22	*	*	21	* *	37	* *	70	*	*
Fairplay	86	* *	71	* *	50	* *	16	*	*	13	* *	13	* *	39	*	*

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years (3)

Page: 9 / 13 / 12 Run Date:

		Comp	arison	of Breas	stfeedi	ng, TV Vi	ewing	յ, and	Sm	oking	in Housel	nold (4,	5)		
			Breastfe	eeding 6)				Exclus	sive B	reastfeed (7)	ling	≤2 Hou Viewin		Smoki House	
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Numbei	r % Breas At Lea 3 Mon (Rai	stfed t ast ths	Numbe	Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
F'	000		000		407		470			454		407		075	
Firestone	903	66.0 (62)	692	32.9 (21)	487	26.5 (9)	179		(17)	154	20.1 (9)	137	59.9 (45)	375	6.1 (54)
Florence	34	* *	39	* *	33	* *	11	*	*	10	* *	2	* *	3	* *
Fnt Valley	2,453	73.5 (48)	1,853	23.2 (52)	1,312	12.4 (51)	703	23.8	(35)	588	12.1 (32)	129	68.2 (44)	644	1.6 (21)
Frisco	387	89.9 (8)	318	50.3 (6)	241	30.7 (5)	101	63.4	(1)	77	* *	114	82.5 (25)	269	0.7 (7)
Ft Collins	2,381	81.9 (25)	1,786	32.8 (22)	1,301	19.6 (18)	523	31.7	(12)	427	20.6 (8)	327	85.9 (16)	1,079	2.3 (31)
Ft. Morgan	1,054	60.5 (66)	885	16.0 (64)	654	4.9 (58)	261	26.8	(26)	221	14.9 (27)	302	80.8 (28)	634	5.4 (52)
Gilpin	27	* *	19	* *	20	* *	4	*	*	4	* *	0	* *	3	* *
Glenwood	778	95.6 (1)	616	50.8 (5)	423	31.9 (3)	194	53.6	(2)	168	35.1 (1)	15	* *	255	2.0 (27)
Grand Junc	3,251	81.7 (26)	2,611	24.8 (45)	1,806	13.8 (46)	863	27.1	(25)	728	15.9 (19)	485	83.5 (21)	998	2.5 (34)
Greeley	190	80.5 (34)	82	* *	46	* *	96	*	*	69	* *	95	* *	261	0.8 (9)
Gunnison	195	91.8 (5)	178	53.4 (3)	145	31.7 (4)	46	*	*	41	* *	48	* *	117	4.3 (46)
Holyoke	123	88.6 (10)	94	* *	75	* *	30	*	*	25	* *	37	* *	59	* *
HotSulphur	155	88.4 (12)	136	38.2 (15)	87	* *	31	*	*	30	* *	39	* *	73	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years (3)

Page: Run Date:

9 / 13 / 12

			Breastfe (eeding 6)				Exclu	ısive B	reastfeedi (7)	ng	≤2 Hou Viewing (8)	g/Day	Smoki House		
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Numbe	Brea A Le Mo	% astfed ast ast anths ank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)	:)
Hugo	126	78.6 (37)	106	31.1 (27)	78	* *	27	*	*	27	* *	31	* *	67	*	
Idaho Sprg	123	87.0 (17)	87	* *	75	* *	22	*	*	14	* *	3	* *	31	*	*
Ignacio	95	* *	79	* *	67	* *	19	*	*	15	* *	29	* *	46	*	*
Illiff	5,576	81.3 (29)	4,629	27.9 (37)	2,884	16.7 (35)	1,419	28.7	(21)	1,177	15.4 (23)	917	79.8 (32)	2,300	1.4 (1	 18)
Julesburg	49	* *	40	* *	34	* *	17	*	*	13	* *	12	* *	27	*	*
La Junta	373	59.5 (68)	279	17.6 (61)	239	10.5 (54)	84	*	*	76	* *	99	* *	201	3.5 (3	39)
Lafayette	526	88.2 (13)	394	47.2 (7)	306	28.1 (7)	96	*	*	83	* *	132	87.9 (12)	288	1.0 (1	13)
Lake Plaza	2,599	68.2 (61)	1,921	25.2 (44)	1,393	15.4 (41)	737	24.4	(34)	636	14.5 (28)	493	82.8 (23)	1,463	1.7 (2	22)
Lakewood	2,975	78.6 (37)	2,506	26.4 (42)	1,827	17.1 (33)	703	28.3	(23)	618	15.2 (26)	648	80.6 (30)	1,437	1.5 (2	20)
Lamar	490	75.1 (45)	425	17.4 (62)	307	12.4 (51)	143	16.1	(41)	120	4.2 (39)	148	85.1 (18)	284	1.1 (1	14)
Las Animas	129	71.3 (54)	99	* *	84	* *	30	*	*	20	* *	38	* *	61	*	*
Leadville	218	54.6 (69)	200	37.0 (17)	151	32.5 (2)	50	*	*	47	* *	55	* *	105	18.1 (5	59)
Limon	2	* *	1	* *	0	* *	1	*	*	1	* *	4	* *	7	*	*

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



tion Surveillance (1) Page: Run Date:

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years $^{(3)}$

(2)

9 / 13 / 12

		Comp	arison	of Breas	stfeedi	ng, TV Vi	ewing	g, and	d Sm	oking	in Housel	nold (4,	5)		
			Breastfe (f	eeding 6)				Exclu	sive B	reastfeed (7)	ing	≤2 Hou Viewin			ing in ehold
Clinic	Number	Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	Breastfed At Least 12 Months	Numbe	Brea A Le Mo	ast 3 nths	Numbe	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Ra	ınk)		(Rank)		(Rank)		(Rank)
Lonetree	757	80.6 (33)	582	33.7 (20)	412	19.4 (21)	153	39.9	(7)	125	28.8 (4)	138	91.3 (4)	308	6.2 (55)
Longmont	2,048	87.1 (16)	1,681	32.2 (23)	1,192	18.8 (25)	429	33.3	(10)	383	16.7 (16)	368	86.4 (14)	890	0.9 (11)
Loveland	1,290	81.6 (27)	1,054	26.9 (41)	783	16.5 (38)	301	29.9	(16)	255	14.5 (28)	211	90.0 (7)	642	1.4 (18)
Manz/Fow	57	* *	62	* *	46	* *	7	*	*	7	* *	11	* *	21	* *
Meeker	69	* *	50	* *	33	* *	18	*	*	14	* *	5	* *	30	* *
Montbello	2,679	81.6 (27)	2,179	24.2 (46)	1,590	14.7 (43)	697	26.5	(28)	583	14.2 (30)	662	80.2 (31)	1,631	1.7 (22)
Monte Vist	345	60.6 (65)	289	18.7 (59)	195	7.2 (57)	103	17.5	(40)	90	* *	134	73.1 (42)	236	3.4 (37)
Montrose	875	75.9 (44)	732	28.6 (31)	589	16.6 (36)	182	28.6	(22)	162	16.7 (16)	143	88.8 (10)	397	13.4 (58)
Northglenn	5,397	71.7 (53)	4,248	22.6 (53)	2,878	14.0 (45)	1,392	22.3	(37)	1,140	10.9 (36)	1,169	73.8 (40)	3,006	5.8 (53)
Norwood	11	* *	15	* *	14	* *	2	*	*	2	* *	7	* *	10	* *
Nucla	47	* *	38	* *	33	* *	8	*	*	7	* *	7	* *	17	* *
Olathe	107	78.5 (40)	91	* *	74	* *	30	*	*	28	* *	39	* *	77	* *
Ordwy/Manz	35	* *	26	* *	19	* *	15	*	*	14	* *	24	* *	39	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



tion Surveillance (1) Run Date:

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years $^{(3)}$

(2)

9 / 13 / 12

Page:

		Comp	arison	of Breas	stfeedi	ng, TV Vi	iewing	j, and	d Sm	oking	in Housel	nold (4,	5)			
			Breastfe	eeding 6)				Exclu	sive B	reastfee	ding	≤2 Hou Viewir (Smok Hous		
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Numbei	Brea A Le	ast 3 nths	Numb	er % Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rar	
Ouray	36	* *	31	* *	24	* *	11	*	*	10	* *	11	* *	15	•	*
Pagosa Spr	240	87.9 (14)	173	39.3 (12)	133	22.6 (13)	43	*	*	38	* *	60	* *	125	2.4	(32)
Pan/Hot/Ce	35	* *	40	* *	29	* *	11	*	*	9	* *	6	* *	19	*	*
Pecos	2,726	80.3 (35)	2,285	22.6 (53)	1,578	13.0 (49)	618	24.6	(33)	504	11.3 (35)	647	86.7 (13)	1,352	4.0	(43)
Pitkin	76	* *	60	* *	36	* *	20	*	*	15	* *	10	* *	39	*	*
Pueblo	4,167	70.0 (57)	3,261	21.0 (56)	2,429	13.2 (48)	995	21.0	(39)	847	11.7 (34)	1,300	80.7 (29)	2,455	4.9	(49)
PuebloW	171	83.0 (22)	108	24.1 (48)	69	* *	96	*	*	82	* *	150	86.0 (15)	261	3.4	(37)
Rag/Strat	73	* *	78	* *	65	* *	0	*	*	0	* *	0	* *	0	*	*
Rangely	70	* *	54	* *	34	* *	16	*	*	14	* *	14	* *	34	*	*
Rifle	613	89.7 (9)	484	37.8 (16)	345	19.7 (17)	152	40.8	(6)	129	30.2 (2)	132	78.8 (37)	334	4.8	(48)
Rocky Ford	253	49.0 (70)	206	15.5 (65)	165	10.9 (53)	71	*	*	62	* *	108	75.9 (38)	212	5.2	(51)
S Pueblo	139	59.7 (67)	332	16.6 (63)	378	10.1 (56)	0	*	*	0	* *	0	* *	0	*	*
Salida	189	85.2 (20)	157	45.9 (8)	114	21.9 (15)	46	*	*	42	* *	65	* *	105	1.9	(25)

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁷⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

⁸⁾ Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Colorado

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic Children Aged < 5 Years (3)

Page: 9 / 13 / 12 Run Date:

			Breastfe	•				Exclu	sive B	reastfeed (7)	ing	<2 Howard Viewing Viewing Control (1) 1	urs TV ng/Day (8)	Smoki House		
Clinic	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea A Lea	t ast 3 nths	Number	Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank	()
Springfield	93	* *	74	* *	58	* *	35	*	*	26	* *	47	* *	91	*	*
Steamboat	197	92.4 (4)	148	51.4 (4)	94	* *	30	*	*	20	* *	32	* *	95	*	*
Sterling	438	73.1 (50)	376	21.0 (56)	276	10.5 (54)	89	*	*	80	* *	118	98.3 (1)	237	4.6 (47)
Sunrise	3,644	75.0 (46)	2,883	28.8 (30)	2,035	18.9 (24)	756	34.3	(9)	642	19.5 (10)	646	82.0 (26)	1,583	0.6	(6)
Telluride	68	* *	58	* *	48	* *	18	*	*	17	* *	20	* *	35	*	*
Trinidad	355	61.1 (64)	279	18.3 (60)	204	12.7 (50)	97	*	*	68	* *	88	* *	182	3.3 (36)
Walden	21	* *	14	* *	10	* *	10	*	*	7	* *	6	* *	13	*	*
Walsenburg	153	73.2 (49)	112	19.6 (58)	77	* *	39	*	*	31	* *	33	* *	86	*	*
Westcliffe	28	* *	24	* *	22	* *	7	*	*	7	* *	0	* *	5	*	*
Westside	6,500	81.2 (30)	5,029	28.3 (33)	3,570	16.0 (40)	1,488	29.0	(20)	1,282	16.8 (13)	1,710	84.4 (19)	3,880	1.1 (14)
Yuma	321	68.8 (60)	264	22.0 (55)	189	16.9 (34)	98	*	*	80	* *	102	73.5 (41)	203	0.5	(5)
Colorado	98,114	77.1	78,154	28.0	55,985	17.2	23,482	28.	3	19,863	15.9	20,613	82.5	48,946	2.9	

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

